



FOUNDATION PLAN  
SCALE 1/8" = 1'-0"

FOUNDATION NOTES

1. INDICATES PRECAST CONCRETE TILT-UP PANEL NUMBER. SEE WALL PANEL ELEVATIONS.
2. COMPACTION APPROVAL IS REQUIRED PRIOR TO INSPECTION OF FOOTING EXCAVATION AND POURING SLAB.
3. ALL FILL SHALL BE COMPACTED IN COMPLIANCE WITH THE SOIL REPORT. SLAB TO BE 4" THICK UNLESS NOTED OTHERWISE. SLAB REINFORCEMENT: NONE.
- FOR SUBGRADE PREPARATION SEE SOIL REPORT
5. DENOTES FTG. SIZE. SEE FOUND. SCHED. FOR SIZE & LOCATION. SMT-5-2.

E-30745



**KEARNY MESA/DUNN**  
 BUSINESS PARK SAN DIEGO, CALIF.

**P DUNN** CORPORATION  
 28 BEECHHOLLOW DR., SANTA ANA, CALIF. (714) 540-2100

|           |         |         |
|-----------|---------|---------|
| REVISIONS |         |         |
| DATE      | 7-27-77 | SCALE   |
| DESIGN    | J.R.S.  | CHECKED |
|           |         |         |
| JOB NO.   |         |         |
| SHEET NO. | 4       |         |
| OF        | 13      |         |

0370