



**ROOF FRAMING NOTES**

1. DENOTES TOP OF LEDGER OR BEAM ELEV. FROM FIN. FLR.
2. DENOTES BOTTOM OF BEAM ELEVATION FROM FIN. FLR.
3. DENOTES DOWNSPOUT. SEE DETAIL 222.  
ROOF SHEATHING TO BE 1/2" PLYWOOD. SEE DETAIL 251.  
ROOF HAILINGS TO BE 10" AT 24" O.C. ALL BOUNDARIES  
10" AT 24" O.C. ALL SHEET EDGES  
10" AT 24" O.C. INTERMEDIATE SUPPORTS
4. PURLINS TO BE AS FOLLOWS UNLESS NOTED OTHERWISE.  
24" SPAN OR LESS = 2 X 4 @ 24" O.C.  
36" SPAN OR LESS = 2 X 6 @ 24" O.C.
5. SUB PURLINS TO BE AS FOLLOWS UNLESS NOTED OTHERWISE  
9'-0" SPAN OR LESS = 2 X 4 @ 24" O.C.  
12'-0" SPAN OR LESS = 2 X 6 @ 24" O.C.

**ROOF FRAMING PLAN**  
SCALE 1/8" = 1'-0"

**DUNN** PROPERTIES  
CORPORATION  
28 BROOKHOLLOW DR. SAN ANA, CALIF. (714) 560-2100

**KEARNY MEGA/DUNN**  
BUSINESS PARK SAN DIEGO, CALIF.

DATE	2-27-77	SCALE	1/8" = 1'-0"
DRAWN	J.P.C.	CHECKED	
REVISIONS	1. 2/27/77 2. 2/27/77 3. 2/27/77		
JOB NO.			
SHEET NO.	5		

*E-30745*

0371